

Mitigation Annex 1

Technical Screening Criteria		BREEAM Criteria	Details
Do No Significant Harm DNSH	Pollution prevention and control	Hea 02 Indoor Air Quality:	One credit - Volatile organic compound (VOC) emission levels (products) Exemplary level Criteria - One Credit meet the criteria for products B–F listed in Table 20, the formaldehyde emission levels have been measured and found to be less than or equal to 0.06mg/m ³ air in accordance with the approved testing standards in Table 20.
			Building components and materials used in the construction that may come into contact with occupiers emit less than 0,06 mg of formaldehyde per m ³ of material or component and less than 0,001 mg of categories 1A and 1B carcinogenic volatile organic compounds per m ³ of material or component, upon testing in accordance with CEN/TS 16516 and ISO 16000-3:2011 or other comparable standardised test conditions and determination methods.

Adaptation Annex 2

Technical Screening Criteria			BREEAM Criteria	Details
Do Not Significant Harm	Pollution prevention and control	Building components and materials used in the construction that may come into contact with occupiers emit less than 0,06 mg of formaldehyde per m ³ of material or component and less than 0,001 mg of categories 1A and 1B carcinogenic volatile organic compounds per m ³ of material or component, upon testing in accordance with CEN/TS 16516 and ISO 16000-3:2011 or other comparable standardised test conditions and determination methods.	Hea 02 Indoor Air Quality:	<p>One credit - Volatile organic compound (VOC) emission levels (products):</p> <p>Exemplary level Criteria - One Credit meet the criteria for products B–F listed in Table 20, the formaldehyde emission levels have been measured and found to be less than or equal to 0.06mg/m³air in accordance with the approved testing standards in Table 20.</p>